



POWERDOT¹⁶




PARTS

(A) ×1 PCE



(B) ×1 PCE



TOOLS

T1 ×1 PCE

Ø 79mm
NOT INCLUDED



GENERAL NOTES


BEFORE INSTALLATION, ALL MEASUREMENTS AND CONDITIONS MUST BE VERIFIED ON SITE. NEITHER FORMING FUNCTION NOR ANY OF ITS DISTRIBUTORS CAN BE HELD LIABLE FOR PRODUCT MALFUNCTION OR OTHER DEFECTS AS A RESULT OF IMPROPER INSTALLATION.

GENERAL NOTES

AVANT L'INSTALLATION, TOUTES LES DIMENSIONS ET CONDITIONS DOIVENT ÊTRE VÉRIFIÉES SUR PLACE. NI FORMING FUNCTION NI SES PARTENAIRES COMMERCIAUX NE PEUVENT ÊTRE TENUS RESPONSABLES DES DÉFAUTS DU PRODUIT OU D'AUTRES DÉFAUTS POUVANT ÊTRE ATTRIBUÉS À UNE MAUVAISE INSTALLATION.

GENERAL NOTES

VOR DEM EINBAU SIND ALLE MASSE UND BEDINGUNGEN BAUSEITS ZU PRÜFEN. WEDER FORMING FUNCTION NOCH SEINE VERTRIEBSPARTNER KÖNNEN FÜR PRODUKTFEHLER ODER SONSTIGE MÄNGEL, DIE AUF UNSACHGEMASSE INSTALLATION ZURÜCKZUFÜHREN SIND, HAFTBAR GEMACHT WERDEN



POWERDOT¹⁶

1× SOCKET TYPE F, 1× USB-C PORT, 1× USB-A CHARGER 12W,
2× CABLE GROMMET, BLACK/WHITE

ART. NO

9358001601

WHITE

9358001609

BLACK

PRODUCT DATA

DIAMETER

Ø83mm

HEIGHT

70-76mm

MOUNTING HOLE DIAMETER

Ø79mm

MAXIMUM TABLE THICKNESS

30mm

CABLE GROMMET DIAMETER

1× Ø7mm, 1× Ø9,5mm

CABLE LENGTH

125cm 3×1.5mm²

USB-C CABLE LENGTH

100cm

PLUG TYPE

CEE 7/7

MATERIAL

POLYAMIDE

PROTECTION CLASS

IP20

MAXIMUM POWER OUTPUT

3500W


USB CHARGER SPECIFICATION

PD3.0 12W


FORMING FUNCTION

Good design is based on human experience. That's why we promise to put as much love in creating technology that works, as something designed to be seamless, cherished and loved. We simply don't want to compromise on neither function nor form.


STEP 1




STEP 2




STEP 3




STEP 4




STEP 5



STEP 6



STEP 7



L